


Gnus 5.11 Reference Booklet



Notes

M-c	Clear data from group (marks and list of read articles).
C-c C-s	Sort the groups by name, number of unread articles, or level (depending on 'gnus-group-sort-function').
C-c C-x	Run all expirable articles in this group through the expiry process.
C-c M-C-x	Run all articles in all groups through the expiry process.
C-c M-g	Activate all groups.
C-c C-i	Gnus online-manual (info).
C-x C-t	Transpose two groups.
H f	Fetch this group's FAQ (using ange-ftp).
H c	Display this group's charter. [Prefix: query for group]
H C	Display this group's control message (using ange-ftp). [Prefix: query for group]
H v	(V) Display the Gnus version number.
H d	(C-c C-d) Show the description of this group [Prefix: re-read from server].
M-d	Describe all groups. [Prefix: re-read from server]
D g	Regenerate a Sieve script from group parameters.
D u	Regenerate Sieve script and upload to server.

Group Subscribedness-Levels

The table below assumes that you use the default Gnus levels. Fill your user-specific from le alt 3(bl)1(d)k333(c)-37e

A a (C-c C-a) List all groups whose names match a regexp (apropos).

A A List the server's active-file.

S k (C-k)

T M-# Remove the process-mark from all groups in the current topic.
 T TAB (TAB) Indent current topic [Prefix: unindent].
 M-TAB Unindent the current topic.
 RET (SPC) Either unfold topic or enter group [level].
 T s Show the current topic. [Prefix: show permanently]
 T h Hide the current topic. [Prefix: hide permanently]
 C-c C-x Expire all articles in current group or topic.
 C-k Kill a group or topic.
 C-y Yank a group or topic.
 A T List active-file using topics.
 G p Edit topic-HidedT0nT0uptoppgrttapC-)1c)333()5p3sf83191Td6)13

M-s Search through all subsequent articles for a regexp.
M-r Search through all previous articles for a regexp.
A P Postscript-print current buffer.

T # Mark this thread with the process mark.
 T M-# Remove process-marks from this thread.
 T t Re-thread the current article's thread.
 T ^ Make the current article child of the marked (or previous) article.
 T n (M-C-f, M-down) Go to the next thread. [distance]
 T p (M-C-b, M-up) Go to the previous thread. [distance]
 T d Descend this thread. [distance]
 T u Ascend this thread (up-thread). [distance]
 T o Go to the top of this thread.
 T s Show the thread hidden under this article.
 T h Hide this (sub)thread.
 T i Increase the score of this thread.
 T l (M-C-l) Lower the score of this thread.
 T k (M-C-k) Kill the current (sub)thread. [Negative prefix: tick it, positive prefix: unmark it.]
 T H Hide all threads.
 T S Show all hidden threads.
 T T (M-C-t) Toggle threading.

Limiting

// (/s) Limit the summary-buffer to articles matching subject.
 /a Li1(u)1(m)Tf211179-3]9.96YP7thread.

- /C Mark all excluded unread articles as read. [Prefix: also mark ticked and dormant articles]
- /o Insert all old articles. [Prefix: how many]
- /N Insert all new articles.
- /p Limit to articles predicated in the 'display' group parameter.

Sort the Summary-Bu er

- C-c C-s C-a Sort the summary-bu er by author.
- C-c C-s C-d Sort the summary-bu er by date.
- C-c C-s C-i Sort the summary-bu er by article score.
- C-c C-s C-l Sort the summary-bu er by amount of

S N Post a followup via news and include the original mail. [p/p]
S c (C) Cancel this article (only works if it is your own). [p/p]
S s **Supersede** this article with a new one (only for own articles).
S O m Digest these series and forward by mail. [p/p]
S O p Digest these series and forward as a post to a newsgroup. [p/p]

C-c C-f C-n (C-c C-n) Move to Newsgroups:.

C-c C-f C-u Move to Summary:.

M M-D Hide all **dormant** articles.
C-w Mark all articles between point and mark as read.
M-u (M SPC, M c) Clear all marks from this article and move to the next one. [scope]
M-U Clear all marks from this article and move to the previous one. [scope]
M e (E, M x) Mark this article as **expirable**. [scope]
M k (k) Kill all articles with the same subject then select the next unread one.
M K (C-k) Kill all articles with the same subject as this one.
M C Catch-up

@ Toggle whether to download the article.
J c Mark all undownloaded articles as read (catch-up).
J u Download all downloadable articles from group.

Mail-Group Commands

These commands (except 'B c') are only valid in a mail group.

B DEL (B backspace, B delete) Delete

- Z G (M-g) Check for new articles in this group (get).
- Z R (C-x C-s) Exit this group, and then enter it again (reenter). [Prefix: select all articles, read and unread.]
- Z s Update and save the dribble buffer. [Prefix: save .newsrsc* as well]

Article Mode (reading)

The normal navigation keys work in Article mode. Some additional keys are:

W Q Fill long lines.

W W a	Hide all unwanted parts. Calls W W h, W W s, W W C-c.
W W h	Hide article headers .
W W b	Hide boring headers.
W W s	Hide signature .
W W l	Hide list identifiers in subject-header.
W W P	Hide PEM (privacy enhanced messages).
W W B	Hide banner specified by group parameter.
W W c	Hide citation .
W W C-c	Hide citation

- s Request that the server scan its sources for new articles.
- g Request that the server regenerate its data.
- y Yank the previously killed server.
- O Try to open a connection to this server.
- C Close connection to this server.
- D Mark this server as unreachable (deny).
- M-o Open the connection to all servers.
- M-c Close the connection to all servers.
- R Make all denied servers into closed servers.
- L Set server status to offline.